



Steering Wheel Control Interface To Suit Nissan

Please disconnect the module before setting up the DIP switch. DIP SWITCH - ON  OFF 

ASNI5C

Nissan Dualis	2007 - 2013
Nissan Micra	2011 - 2014
Nissan Navara D40	2007 - 2015
Nissan Pathfinder	2008 - 2013
Nissan Tiida	2006 - 2013
Nissan X-Trail	2007 - 2013




ASNI5T

Nissan Almera	2012 - 2013
Nissan Cube	2008 - 2019
Nissan Juke	2010 - 2018
Nissan Micra	2015 - 2016
Nissan Pulsar B17, C12 SSS	2013 - 2017
Nissan Navara D23	2015 - 2020




ASNI9C

Nissan Altima	2013 - 2016
Nissan Navara	2015 - 2020
Nissan Qashqai	2014 - 2021
Nissan X-Trail	2014 - 2022




ASNI25C

Nissan Altima	2013 - 2016
Nissan Navara D23	2015 - 2020
Nissan Qashqai	2014 - 2021
Nissan X-Trail	2014 - 2022
Nissan Juke	2010 - 2018



ASNI27C


Nissan Navara D23	2019 - ON
Nissan Qashqai	2014 - 2021
Nissan X-Trail	2014 - 2022



Stereo Dipswitch Settings

Prior to installation, configure the four DIP switches for your specific stereo brand as shown below. Please disconnect the module before setting up the DIP switch.

Please disconnect the module before setting up the DIP switch. DIP SWITCH - ON  OFF 



Steering Wheel Control Setup

CONNECTION OPTIONS:


Option A: (Both 8-Pin Connector & 3.5mm Jack) Aerpro AM905D, AM1005D & Pioneer DMH-AP6650BT it is recommended that both the 8-Pin connector and 3.5mm jack are connected.

Option B: (3.5mm Jack): Connect the 3.5mm jack to the female SWC jack input from headunit.

Option C: (Wired Leads): For units without a direct plug-in connect SWC Key 1, some instances will require SWC Key 2, and SWC GND also.

Option D: (8-Pin Connector): Connect the 8-pin plug to the SWC input only for Nakamichi, Android Headunits & Alpine INE-AW409S, INE-AX809

IMPORTANT NOTE: Unless otherwise stated most headunits only require one connection for SWC retention.



Steering Wheel Control Configuration

Aerpro: AM905D, AM1005D

1. 3.5mm Jack: DIP switches: 1-ON, 2-ON, 3-OFF, 4-OFF. Go to Settings → Steering Wheel Control → With Adapter.
2. 8-pin Adapter: Reset unit → Select Hiworld → Select vehicle type → Program SWC according to screen. (Displays factory info; check Pioneer website for compatibility).

Alpine: Operate directly.

JVC: Operate directly.

Kenwood: Operate directly.

Nakamichi: Presets: NA3615 (W7, W9, WX, M9, MX), NA3510-M7, NA3625 (W6, WUX).

Pioneer: Settings → Steering Wheel Control → With Adapter.

Pioneer DMH-AP6650BT: (Two setup methods)

1. 3.5mm Jack: DIP switches: 1-ON, 2-ON, 3-OFF, 4-OFF. Go to Settings → Steering Wheel Control → With Adapter.
2. 8-pin Adapter: Reset unit → Select Hiworld → Select vehicle type → Program SWC according to screen. (Displays factory info; check Pioneer website for compatibility).

Sony: Settings → General → Steering Control → Preset.

If Preset does not work use Custom: If preset fails, set DIP to 1-OFF, 2-ON, 3-ON, 4-OFF.

Android Headunit: (Inc. Alpine INE-AW409S, AX809; Nakamichi Android)

Connect 8-pin (CANBUS) or Key 1, Key 2, GND.

With CANBUS: DIP Switch to Android → Factory Settings.

- Alpine: Password 1967.
- Nakamichi: Password 1948 → Select Hiworld as provider → Choose vehicle type.

Without CANBUS: DIP Switch to Program → Select SWC Learning in stereo menu.

Factory 360° Camera Setting & Control (If applicable)

When the vehicle is in **Drive** or **Park** mode, press and hold the **Hang Up** button on the steering wheel to activate the factory 360° camera.

When the vehicle is in **Reverse** mode, press the **Hang Up** button on the steering wheel to switch between the different views of the factory 360° camera.

Time Setting (On the Vehicle Dashboard Screen) (If applicable)

For some Nissan models, the time can be set through the car's settings menu, not from the headunit.

Use Up and Down buttons on the steering wheel to adjust the vehicle dashboard screen to AUX, press and hold the ENTER/PREVIOUS button, the time will change to 12:30.

Use Previous and Next buttons to adjust and set the time.

After setting the time, wait 10 seconds for the changes to save automatically.

Technical Support

If you need assistance setting up or using your Aerpro product now or in the future, call Aerpro Support Australia **TEL: 03 8587 8889** MON-FRI 9AM – 5PM AEST. If you would like to download a digital copy of this manual, or other Aerpro manuals/software, please visit the <http://aerpro.com> website.