

CHTO15C **Steering Wheel Control Interface** for select Toyota vehicles





















Vehicle Application

Toyota Avensis (T27) Toyota Corolla	2011> 2011>	Toyota Rush Toyota Innova	2011> 2011>
Toyota RAV4	2011>	Toyota Hilux	2011>
Toyota Yaris	2011>	Toyota Fortuner	2011>
Tovota Verso	2011>	Tovota Auris (E15J)	2011 - 2012

Key Features

- Retains Steering Wheel Controls (if equipped)
 Retains Factory Phone Buttons (if equipped)
 Retains Factory Aux Input (if equipped)
 Retains Factory USBInput (if equipped)
 Retains Factory Reversing Camera (if equipped)
 Provides Reverse Gear Feed



ABOUT THIS PRODUCT

CHTO15C

Analogue Steering Wheel Control Interface for select Toyota vehicles with 28 Pinconnector

WIRING COLOUR CODES

Purple Right Rear Speak Purple/Black Right Rear Speak Green Left Rear Speak Green/Black Left Rear Speak Grey Right Front Speak White Left Front Speak White/Black Left Front Speak	ker - Black er + Red er - Purple/White uker + uker - er +	Permanent 12V Ground Ignition 12V ReverseGear
--	---	--

PRIOR TO INSTALLATION

Read the manual prior to installation. Technical knowledge isnecessary for installation. Theplace of installationmust be free of moisture and away from heat sources. Please ensure that the correct tools are using during the installation to avoid damage to the vehicle or product. Aerpro cannot be held responsible for the installation of this product.

TECHNICAL SUPPORT

If you need assistance setting up or using your Aerpro product now or in the future, call Aerpro Support Australia

TEL: 03 – 8587 8898 FAX: 03 – 8587 8866 Mon-Fri 9am – 5pm AEST. If you would like to download a digital copy of this manual, or other Aerpro manuals/software, please visit the http://aerpro.com website.

FITTING GUIDE

- 1. Remove and disconnect the original head unit.
- 2. Connect the 12 way molex connector of the head unit patch lead (supplied separately) to the interface.





3. Connect the opposite end of head unit patch lead to the head unit steering wheel control input on the back of the aftermarket head unit.

NB:Thismay be a 3.5mm jack plug or a wire input depending upon the head unit brand being fitted. Please see the head unit installation manual for further information on where to connect.

Important: Thisstep must be completed before connecting power to the interface. Failure to so do may result in no steering wheel control function.



4. Connect the 14 way molex connector to the interface





5. Connect the male power/speaker ISOharnessto the female power/speaker ISOharnessfrom the aftermarket head unit. For aftermarket head unitswithout an ISO connector, please refer to "Wiring Colour Codes" on Pg.2.





FITTING GUIDE

6. Connect the female vehicle specific connectors on the harness to the male vehicle connector from the vehicle. Testhead unit for correct operation.

STEERINGWHEELCONTROL FUNCTIONALITY

Original Button	Function
Volume +	Volume +
Volume -	Volume -
Up Arrow	Track +
Down Arrow	Track -
Mode	Source
Pick Up	Pick Up
Hang Up	Hang Up

Example Steering Wheel Control Configuration

(Actual configuration may differ depending on vehicle model)

